# TECHNICAL SPECIFICATION



# **Swing Lift Trolley Cranes**



# Permaquip Ltd

Old Sleningford Farm, North Stainley, Ripon, North Yorkshire, HG4 3JB

Tel: +44 (0) 1623 513349

E-mail: sales@permaquip.co.uk www.permaquip.co.uk



#### **Description:**

The Permaquip™ Swing Lift Trolley Cranes have been specially designed to fit the Permaquip range of Type A and Type B Trolleys. Originally conceived to fit along the length of the Trolley, allowing loads to be lifted and lowered between the 4' and Trolley deck. Additional versions now allow the Crane to be fitted across the width of the Trolley, giving greater reach to the side of the track. The side fitting Crane is ideally suited to points motor renewal, especially when used with the Permaquip Points Motor Crane Sling. The Type B Towing Trailer can also benefit from the side fitting Crane. All Crane variants are supplied with Flat Duplex and Lashing Straps to secure the Trolley to the rail head, prior to performing any lifting.

#### Please note:


All information, illustrations and specifications in this Technical Sheet are based on the latest information available at the time of publication. The right is reserved to make changes at any time without notice.

Equipment operators and installers shall be responsible for ensuring that a safe working environment and safe systems of work are in place and in certain circumstances advice and permission from the controlling authority must be sought before any operation, installation or surveying work is carried out.

Permaquip™ is a trademark of Permaquip Ltd.

©2006 Permaguip Ltd.

# Swinglift Crane c/w Straps Layout:



# **Technical Data:**

Trolley	Crane	Part N	lum	bers:
---------	-------	--------	-----	-------

•	Swinglift Crane to Suit Type A Trolley c/w Straps	28725
•	Swinglift Crane Type A / B Trolley Side Fitting c/w Straps	38378
•	Swinglift Crane to Suit Type B Trolley c/w Straps	28810

# Overall dimensions:

•	Type A Std Length	1493mm
•	Type B Std Length	2104mm
•	Type A/ B Side Fitting Length	1969mm
•	Width	292mm
•	Height	1140mm

SWL: 420kg UDL

#### Mass:

•	Type A Standard	63kg
•	Type B Standard	68kg
•	Type A and B Side Fitting	67kg

